

CATALOGUE

MEDICAL EQUIPMENT

ENT Medical Equipment



PIE MARIE TRADING CC

www.piemariechristine.co.za

info@piemariechristine.co.za

+27 11 869 2315 / 011 869 2315

110 Paul Kruger, South Crest, Alberton

Table of contents

| | |
|--|----|
| 1. Fiber Optic Otoscope Equipment----- | 4 |
| 2. ENT Microscope Operation Station ----- | 6 |
| 3. Ear Nose And Throat Chair Electric ----- | 8 |
| 4. Lightweight Nasal Dressing Forceps----- | 10 |
| 5. Optical Rhinoscope Stainless Steel ----- | 11 |
| 6. Medical Fiber Optic Laryngoscope Blades ----- | 12 |
| 7. Surgical Headlight Battery Powered ----- | 13 |
| 8. Surgical ENT Instrument Sets ----- | 15 |
| 9. Electronic Portable Video Laryngoscope ----- | 17 |
| 10. Endoscopic Sinus Surgery Endoscope----- | 19 |
| 11. Laryngology Surgical Instruments Kits----- | 21 |
| 12. LED Pen Torch Light Handle Magnet Lamp----- | 22 |
| 13. Surgical Instruments Kits for Tonsillar----- | 24 |
| 14. Portable Audiometer Headphone----- | 25 |
| 15. Fiber Optic Laryngoscope Blades----- | 27 |
| 16. Steel Anaesthetic Intubation ----- | 28 |
| 17. Medical Grade PVC Ear Cleaning Syringe ----- | 29 |
| 18. Cold Laser Therapy Device ----- | 31 |

PMC Trading Medical Supplies primarily targets the need for Medical Equipment and supplies. Our goal is, to be affordable whilst still offering Service Excellence and Quality Products, as it is our desire to assist our Customers and the final end User to the best of our ability. It is our goal to be a solid, reliable and dependable player in the Medical Supplies arena in order to foster healthy relationships with our Customers, hereby encouraging loyalty and longevity for all players concerned.

We have been successful in building a brand of service excellence and quality equipment amongst our clients, and the loyalty of our clients keep us motivated to keep growing and improving our presence and product offering.

We research the most up to date medical innovation in hospital furniture and medical capital equipment, to bring our clients the latest and best solution and long-term investment in their hospital or clinic.

About PMC Medical Equipment

PCM trading is a proudly South African company focusing on the sales and distribution of Medical Equipment. The business was built on medical expertise, excellent client service and the pursuit of medical- and clinical innovation.

About PMC Medical Equipment Supplies

In our efforts to achieve this we further endeavor to make our working environment a pleasant. Our team is driven as one unity and can only strengthen PCM Medical Supplies. We have a range of clinical equipment which we supply in around the country. We make all efforts to source additional, quality products and in so doing we do look to source locally wherever possible. If the required product is not available locally, we will import, as is necessary, in order to meet our Customer's needs.



Fiber Optic Otoscope Equipment

Fiber Optic Otoscope ENT Medical Equipment Kits For Pathological Analysis



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13024 |

Product Description

| | | | |
|---------------------|---|-------------------------|------------------|
| Type: | Pathological Analysis Equipment | Brand Name: | GOLGATHA |
| Name: | Fiber Optic Otoscope | Place Of Origin: | Guangdong, China |
| Certificate: | CE ISO | Product Name: | Otoscope |
| High Light: | ENT medical devices, ENT examination instruments | | |

Otoscope in Pathological Analysis Equipment

Product Description

Updated NEW Structure
3X Magnification

Fiber Optic Illumination

Clear View Window

LED Sunlight & LED White light for option
Rechargeable Handle Co-used



ENT Microscope Operation Station

Surgical ENT working station unit for treatment, ENT microscope operation station



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13011 |

Product Description

| | | | |
|-------------------------|---|--------------------|-------------------|
| Properties: | The Basis Of Surgical Instruments | Type: | ENT Operation |
| Place Of Origin: | Guangdong, China | Brand Name: | GOLGATHA |
| 900A: | Doctor Stool | Color: | Can Be Customized |
| High Light: | ENT surgical instruments, ENT examination instruments | | |

ENT Working Station Unit, ENT Microscope Operation Station

GGT – 13011 is a high-end E.N.T. Treatment System. It is our most advanced system with complete new modular design concept. The whole system is very beautiful, and is very convenient to use. It can be placed freely according to space and shape of the clinic room, thanks to the modular design.

A standard GGT – 13011 system is composed by three major function modules:

1. ENT operation unit (GGT – 13011A).
2. Image process unit (GGT – 13011B).Instrument cabinet (GGT – 13011C).
3. Besides, there are various of optional items available, such as E.N.T. surgical microscope, LED headlight, E.N.T. surgical instrument and E.N.T. endoscopes, etc..

| | |
|-------------|---------------------------------------|
| GGT – 13011 | Painted metal body and marble surface |
| | Glass touch control panel |
| | “Smart ENT” electronic control system |
| | Noise & vibration insulator |
| | Spray gun |
| | Blowing gun |
| | Suction gun |
| | Compressor |
| | Positive air pressure regulating |
| | Vacuum pump |
| | Negative air pressure regulating |
| | Instrument jar |
| | Ointment jar |
| | Medicine bottle placement |
| | Hot air heater |
| | LED Inspection light |
| | Sewage collection system |
| | Auto blow off system |
| | Built-in LED cold light |
| | Constant temp. irrigation system |
| | UV disinfection system |



Ear nose and throat chair electric

Ear nose and throat ENT examination chair electric height adjustable in clinic



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13029 |

Product Description

| | | | |
|------------------------|---|---------------------------|-------------------|
| Classification: | ENT Examination Chair | Type: | ENT Operation |
| Certification: | CE, ISO | Trademark: | GOLGATHA |
| Origin: | China Guangdong | Transport Package: | Can Be Customized |
| High Light: | ENT surgical instruments, ENT examination instruments | | |

Technical parameters:

Easy ENT Surgical Work stain feature Completed medical ENT surgical instruments from China factory. Leather Patient chair. Suits for different doctors and clinic.

Function introduction: Seat can up and down, sit back, legs. Linked arm pads, the part of above of seats can be rotated 180 degrees.

Voltage: AC220V± 10% 50Hz

1. Power: 230W (max) low power dissipation, power saving

2. Undertake pressure: 250Kg (max)
3. Up and down range of chair 530mm (min)-680mm (max)
4. Handle and backrest are linkage, backrest can backward 90°
5. Pillow Stretch range: 100mm (foldable, disassembly)
6. Weight: 118Kg
7. Chair can rotate 180°

Features

1. Global advanced integrated diagnosis and treatment equipment.
2. Perfectly use the clinic space.
3. Fashionable design can be used for both left and right hand operation, suits for different doctors and clinic.
4. Adjustable height for operation platform, it is convenient and practical.
5. Intelligent touched control system, easy to operation and clearly shows every process.



Lightweight nasal dressing forceps

Lightweight metal ENT medical equipment nasal dressing forceps



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13026 |

Product Description

| | | | |
|--------------------|--|--------------------|------------|
| Origin: | China Guangdong | Material: | Metal |
| Type: | E.N.T | Brand Name: | GOLGATHA |
| Color: | Metal | Packing: | Carton Box |
| High Light: | Dental surgery equipment, dental clinic equipment | | |



Optical rhino scope stainless steel

Surgical ENT medical equipment optical rigid rhino scope stainless steel



| | |
|------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13022 |

Product Description

| | | | |
|-------------|--|------------------|-----------------------------|
| Type: | Optical Endoscope & Accessories | Place Of Origin: | PE, LLDPE+PU FOAM |
| Apply: | ENT Rhino scope | Fiber: | Eco-Friendly |
| Degree: | 0°,30°,70° Rhino scope | Material: | Stainless Steel Rhino scope |
| High Light: | ENT surgical instruments, ENT medical devices | | |



Medical fiber optic laryngoscope blades

Reusable medical fiber optic laryngoscope blades for pediatric and adult



| | |
|------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13021 |

Product Description

| | | | |
|----------------------|--|------------------|---------------------------|
| Properties: | Ears, Eyes, Nose And Throat Surgical | Type: | Clamp |
| Brand Name: | GOLGATHA | Material: | Grade 304 Stainless Steel |
| Blade Length: | 160mm, 130mm, 100mm | Origin: | China Guangdong |
| High Light: | ENT surgical instruments, ENT medical devices | | |

Reusable professional Macintosh fiber optic laryngoscope blades. These blades are made of grade 304 stainless steel, fitted with glass fiber optic light guide, covered with stainless steel pipe.

Adult blade length: 160mm, 130mm, 100mm

Pediatric blade length: 100mm, 84mm, 64mm



Surgical headlight battery powered

LED surgical headlight ENT medical equipment battery powered for examination



| | |
|------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 5012 |

Product Description

| | | | |
|------------------|---|----------------|------------|
| Place Of Origin: | PE And Nylon | Type: | Headlamps |
| Usage: | Medical Materials & Accessories | Certification: | CE And ISO |
| Color: | Different Sizes And Weights Are Available | Warranty: | 1 Year |
| High Light: | ENT medical devices, ENT examination instruments | | |

ENT Head Lamp Surgical Equipment Surgery LED Medical Headlight

For all the medical headlight led

We use imported bulb an electronic accessories, which assure the best quality, OEM service is also available, just give us your idea, and we will finish the rest, we mainly provide 3W & 5W.

HCM6692: 3W Medical Led surgical headlight with battery.

HCM6693: 5W Medical Led surgical headlight with battery

Here is the basic description for Medical Led surgical headlight with battery.

The above 3W & 5W Medical Led surgical headlight with battery are used for general surgery, ENT, neurosurgery and other simple operations, they can also be used for industrial manufacturing, pcb jointing, etc.

1. It uses high quality material so as to achieve an excellent illumination effect.
2. The head loop is adjustable.
3. Color temperature is 6,000K.
4. Intensity: 25,000Lx (3W), 55,000Lx (5W).



Surgical ENT instrument sets

Surgical ENT instrument sets for ophthalmology and otorhinolaryngology



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GTT – 13001 |

Product Description

| | | | |
|-----------------------------|--|------------------------------|------------------------------|
| Illumination Form: | Large Spot, Small Spot, Slit, Net, Red Free | Diopter Compensation: | -35D~+20D, 24 Steps In Total |
| Illumination Source: | 6V/5W, Halogen Bulb | Input Voltage: | AC220V/ 50Hz, AC110V / 60Hz |
| Ophthalmoscopy: | Medical Device | Place Of Origin: | Guangdong, China (Mainland) |
| High Light: | ENT surgical instruments, ENT medical devices | | |

Ophthalmology and Otorhinolaryngology Inspector

Feature

- Observed images of the fundus are sharp and upward.
- Halogen bulb with bright and even illumination.
- Automatic turning off effectively protects the bulb.
- Two-step adjustable illumination: S (Bright), W (Dark).

Specifications

- Illumination Form.
- Large Spot, Small Spot, Slit, Net, Red Free
- Diopter Compensation.
- -35D~+20D, 24 steps in total.
- Illumination Source.
- 6V/5W, Halogen Bulb.
- Input Voltage
- AC220V/ 50Hz, AC110V / 60Hz



Electronic portable video laryngoscope

Electronic portable ENT medical equipment handheld video laryngoscope



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13017 |

| | | | |
|--------------------|--|-----------------------|------------------------------------|
| Accuracy: | +/-2 Celsius | Display: | Pointer |
| Hygrometer | Alumina | Application: | Stationery/Office/Student/Teaching |
| Type: | Hygrometer | | |
| Trademark: | Golgatha | Specification: | CE/ ISO |
| High Light: | Dental surgery equipment, dental clinic equipment | | |

The portable multifunctional video laryngoscope, is new video intubation system which can expose laryngeal structure more directly and distinctly, reduce damage and difficulty caused by tracheal intubation. It is suitable for preoperative intubation of anesthetist because of the great help to difficult tracheal intubation, especially tracheal intubation during emergent treatment of non-anesthetist in ICU and emergency room. Combining high-definition digital imaging system and unprecedented ergonomic design, it can easily evaluate anatomical structure and fast locate tracheal tube by its high-resolution color real-time image. It helps to enhance success rate of your operation and greatly ease pains of patient.

| | | |
|-------------------------------|----------------------------------|--|
| Model | GGT – 13017 | |
| Imaging mode | Full digital color imaging | |
| Imaging module | Dimension | 1/12inches |
| | Effective pixels | NTSC 720(H)*525(V) PAL: 729(H)*625(V) |
| | Minimum illumination | 0.8Lux |
| | SNR | 38 DB |
| | Dynamic range | 66 DB |
| | Aperture | F2.8 |
| | Focus | 20mm-70mm |
| Display system | Viewing angle | 90°(LCD diagonal) |
| | Monitor dimension | 2.4" TFT-LCD |
| | Monitor rotation angle | 0°~120° |
| | Backlight mode | 2 LED lamps in series |
| | Resolution | 640(H)×240(V) |
| | Visual range | U/D/L/R(20/50/40/40) |
| | Illumination | >250cd/m ² |
| | Display dimension of LCD monitor | 44.46(H)×61.7(V) |
| | Visible area | 37.8(H)×50.279(V) |
| Illumination | Output | PAL/NTSC Composite video signal |
| | Light source | White LED |
| Power supply | Voltage | 3 AAA alkaline batteries |
| | Power consumption | 2W |
| | Average service life of battery | 45 minutes (alkaline battery) |
| Memory capacity | 128MB | |
| External dimension(B x H x T) | 51x330x75.5mm | |

Endoscopic sinus surgery endoscope

Endoscopic sinus surgery endoscope / waterproof camera video endoscopy



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 16019 |

Product Description

| | | | |
|-------------------------|---|-------------------------|-------------------|
| Type: | Electronic Endoscope | Brand Name: | GOLGATHA |
| Screen: | 15inch Screen And 3.5inch Screen | Place Of Origin: | Guangdong, China |
| Scanning System: | Interlaced Scanning | Color: | Can Be Customized |
| High Light: | ENT medical devices, ENT examination instruments | | |

Information

700 lines waterproof camera
15inch and 3.5 inch LCD Monitor
Built-in LED cold light source
Built-in 32G SD image storage

Parameter Introduction

| | |
|--------------------|---------------------------|
| Type | Professional type |
| Camera | 1/3inch SONY CCD camera |
| Pixels | 440,000 |
| Image Size | 720*576i |
| Horizon resolution | 700 lines |
| Scanning system | Interlaced scanning |
| SNR | $\geq 50\text{dB}$ |
| Video output | Two CVBS, S-VIDEO,DVI |
| Led light source | 35w cold led light source |
| Screen | 15inch LCD screen |



Laryngology surgical instruments kits


Metal ENT medical equipment laryngology surgical instruments kits



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13030 |

Product Description

| | | | |
|--------------------|--|---------------------------|----------------------------------|
| Origin: | China Guangdong | Material: | Metal |
| Brand Name: | GOLGATHA | Color: | Silver |
| Quality: | A+ Grade | Packaging Details: | Packing Depend On Client Request |
| High Light: | ENT surgical instruments, ENT examination instruments | | |



LED pen torch light handle magnet lamp

Medical LED pen torch light handle magnet lamp work flashlight



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13025 |

Product Description

| | | | |
|--------------------------|---|-----------------------------------|---------------|
| Color | Cool White | Lighting Bulbs & Tube: | Energy Saving |
| Temperature(CCT): | | | |
| Application: | Square, Garden, Park | Certification: | CE And ISO |
| Color: | Can Be Customized | Trademark: | Golgatha |
| High Light: | ENT medical devices, ENT examination instruments | | |

Product Description

Pen Torch light is easy to use, COB LED light has led light, Handle magnet Lamp is AC outlet, LED work flashlight is easy to install, Magnetic Pen Torch light can use at room, COB LED light Weight is 41g,LED work flashlight

Feature

1. Easy to install, just plug into AC outlet.
2. Innovative and Stylish design;
3. Light on off by a manual switch.
4. Convenient for using at bedroom, corridor, step floor, etc.

| | |
|--------------|--------------------------------|
| Material | PVC |
| Power supply | 3*AAA batteries (not included) |
| Lamp | COB LED |
| Weight | 41g |
| Size | 16.6 * 2.3 * 2.3cm |



Surgical instruments kits for tonsillar

CE ISO metal ENT medical equipment surgical instruments kits for tonsillar



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13023 |

Product Description

| | | | |
|---------------------|---|---------------------------|-----------------------------|
| Origin: | China Guangdong | Material: | Metal |
| Type: | Maxillofacial Instruments | Surface Condition: | SATIN FINISH, Mirror Finish |
| Certificate: | CE ISO | Description: | Dingmans Mouth Gag Set |
| High Light: | ENT medical devices, ENT examination instruments | | |



Portable audiometer headphone

Clinical portable audiometer headphone for detecting body health



| | |
|------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13014 |

Product Description

| | | | |
|--------------|--|------------------|------------------|
| Type: | Clinical Examination Aids | Place Of Origin: | Guangdong, China |
| Function: | Detecting Body Health | Application: | Human |
| Certificate: | CE ISO | Language: | English |
| High Light: | ENT surgical instruments, ENT medical devices | | |

Channel: Two independent signal channel and masking channel

Frequency: Air conduction and free sound field 250-8000Hz; (Bone conduction 250-6000Hz)

Masking: Pure tone test, white noise

Sound pressure range:

Hz AC BC

250 -10~100 -10~45

500 -10~120 -10~60

750 -10~120 -10~60

1000 -10~120 -10~70

1500 -10~120 -10~70

2000 -10~120 -10~70

3000 -10~120 -10~70

4000 -10~120 -10~60

6000 -10~110 -10~50

8000 -10~110

Output interface: Air conduction earphone, Bone conduction earphone, free sound field

Standard function: Pure tone test. Provide continuant, pulse voice and warble tone

Normal: Press INT to start sound stimulate

Inversion: Press INT to stop sound stimulate.5dB step and 5dB step continuous attenuation, 1DB error.

Distortion: Air conduction: <2.5%; Bone conduction: <5%

Operation Environment: Temperature + 10 °C-+ 35 °C, air temperature 30%-90%,

Air pressure: 860hPa – 1060hPa

Preheating time: Less than 10 minutes

Size: W×H×D=430×300×70 mm

Weight: About 6.5 kg

Power supply: 220VAC, 50Hz

Maximum power : 60VA

Executive standard: EN60645-1, EN60645-2,EN60645-4, and ANSI S3.6-1996

Safety standard: EN 60601-1, Level 1 class B EN 60601-1-2 ; EN 60601-1-4

Standard accessory: TDH39 Air conduction earphone, responder, power line



Fiber optic laryngoscope

Orthopedic surgical ENT medical equipment fiber optic laryngoscope blades



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13020 |

Product Description

| | | | |
|---------------------------|---|--------------------|----------|
| Properties: | Orthopedic Surgical Instruments | Type: | Other |
| Place Of Origin: | Guangdong, China | Brand Name: | GOLGATHA |
| Packaging Details: | Caring Case/carton | Quality: | A+ Grade |
| High Light: | ENT medical devices, ENT examination instruments | | |



Steel anesthetic chair equipment

Stainless steel anesthetic intubation medical laryngoscope set customized



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13019 |

Product Description

| | | | |
|--------------------|--|-------------------------|-------------------------|
| Properties: | Ears, Eyes, Nose And Throat Surgical | Material: | Medical Stainless Steel |
| Size: | Accepted Customized | Quality: | A+ Grade |
| Feature: | Easily Cleaned | Place Of Origin: | Guangdong, China |
| High Light: | ENT surgery equipment, ENT clinic equipment | | |



Medical grade PVC ear cleaning syringe

Medical grade PVC ear cleaning syringe, ear wax removal syringe ball



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13015 |

Product Description

| | | | |
|--------------------|--|----------------|----------------------------|
| Properties: | Medical Polymer Materials & Product | Type: | General Medical Supplies |
| Material: | Medical Grade PVC | Sample: | Free Samples Are Available |
| Brand Name: | GOLGATHA | Color: | Can Be Customized |
| High Light: | ENT surgery equipment, ENT clinic equipment | | |

Cleaning Ball, Aurilave Ear Syringe

1. Cleaning ball ear syringe
2. Medical Grade PVC
3. Size:30ml,60ml,90ml
4. ISO ,CE

Flush syringe with water before using.

1. Use plain water at body temperature. Never use cool water.
2. The subject should be seated and should hold a small basin under the ear to catch returning water. The head should be tilted slightly toward the ear to be irrigated.

3. Gently pull the earlobe backward and upward to expose the ear canal. The tip of syringe should be directed slightly upward toward side of ear canal rather than straight back toward the eardrum. Do not let tip of syringe touch or enter ear canal.
4. Squeeze contents gently toward the side of ear canal. Never inject forcefully.



Cold laser therapy device

Medical laser allergic rhinitis treatment instrument cold laser therapy device



| | |
|-------------------------|-----------------|
| Place of Origin: | Guangzhou China |
| Brand Name: | GOLGATHA |
| Certification: | CE/ISO |
| Model Number: | GGT – 13012 |

Product Description

| | | | |
|---------------------------|--|------------------------|-----------|
| Place Of Origin: | Guangdong, China | Brand Name: | GOLGATHA |
| Application: | All Kinds Rhinitis | Guarantee Time: | 12 Months |
| Packaging Details: | Carrying Case/carton | Color: | White |
| High Light: | ENT surgery equipment, ENT clinic equipment | | |

Specifications

1. Laser therapy.
2. No drugs.
3. Relieve congestion, breathe smoothly.
4. Consolidation treatment.

Application:

1. Hyper viscosity, hyperlipidemia, hypertension, diabetes, ischemic, cardiovascular and cerebrovascular diseases.
2. It's also good curative on the rhinitis, nasosinusitis, atrophic rhinitis, otitis media, tinnitus, chronic pharyngitis.

Specification

| ITEM | ITEM DESCRIPTION |
|-----------------------------------|--|
| Color | White |
| Laser medium | Ga A/As semiconductor |
| Laser wavelength | 650nm |
| Laser output power | ≤5mw |
| Laser operating voltage | 3.6V |
| Input voltage of power | 220V |
| Timing range | 15-45min,s grades for adjustment |
| Environment temperature | -20°C-40°C |
| Relative humidity | ≤85% |
| Atmospheric pressure | 86kpa-106kpa |
| Power source use | Lithium battery with the capacity 1000m Ah |
| Output frequency under pulse mode | 0.5 sec |
| Size | 130x60x20mm |

